

LEVEL

NRL Memorandum Report 4333

# Simulation of Complex Shock Reflections from Wedges in Inert and Reactive Gaseous Mixtures

D. BOOK, J. BORIS, E. ORAN, AND M. PICONE

*Laboratory for Computational Physics*

S. ZALESK

*Geophysical and Plasma Dynamics  
Plasma Physics Division*

and

A. KUHLE

*R&D Associates  
P.O. Box 9685  
4640 Admiralty Way  
Marina del Ray, California 90291*

September 30, 1980

This work was supported by the Defense Nuclear Agency under subtask Y99QAXSG601  
work unit 22, and work unit title, "B11 Flux Corrective Transport Code."



NAVAL RESEARCH LABORATORY  
Washington, D.C.

Approved for public release; distribution unlimited.

DTIC  
ELECTE  
OCT 10 1980  
A

80 10 9 008

AD A090115

DDC FILE COPY

**Best  
Available  
Copy**

9 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER NRL Memorandum Report 4333	2. GOVT ACCESSION NO. AD-A090 115	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) SIMULATION OF COMPLEX SHOCK REFLECTIONS FROM WEDGES IN INERT AND REACTIVE GAS- EOUS MIXTURES.		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem.	
6. PERFORMING ORG. REPORT NUMBER		7. AUTHORITY	
8. CONTRACT OR GRANT NUMBER(s)		9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, D.C. 20375	
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62074H; 62-0578-0-0		11. CONTROLLING OFFICE NAME AND ADDRESS Defense Nuclear Agency Washington, D.C. 20305	
12. REPORT DATE September 30, 1980		13. NUMBER OF PAGES 25	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public use; distribution unlimited.		17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)	
18. SUPPLEMENTARY NOTES *Present address: R & D Associates, P.O. Box 9695 4640 Admiralty Way, Marina del Rey CA 90291 **NRL/NRC Postdoctoral Research Associate (continues)			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Detonations Shock waves Air blast Mach shock Wedges Induction time			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Flux-Corrected Transport (FCT) technique for solving fluid equations reduces numerical diffusion, permitting calculations with Reynolds numbers considerably in excess of the cell Reynolds number. Recent advances in FCT, including a multidimensional flux limiter and a dynamic adaptive rezone, are illustrated in the problem of transient reflections of planar shocks from wedges in inert and reactive media. Abstract (continues)			

25212-01

76

18. Supplementary Notes (Continued)

\*\*\*Geophysical and Plasma Dynamics Plasma Physics Division

This work was supported by the Defense Nuclear Agency under subtask Y99QAXSG601, work unit 22, and work unit title, "B11 Flux Corrective Transport Code."

20. Abstract (Continued)

Results are obtained with high resolution which are in quantitative agreement with experiments.

## CONTENTS

1. ADVANCES IN FCT TECHNIQUES . . . . .	1
2. SHOCK REFLECTIONS IN AIR . . . . .	2
3. DETONATIONS . . . . .	3
4. CONCLUSIONS . . . . .	4
REFERENCES . . . . .	4

1A

SIMULATION OF COMPLEX SHOCK REFLECTIONS  
FROM WEDGES IN INERT AND REACTIVE GASEOUS MIXTURES

1. Advances in FCT Techniques

In this paper we describe new adaptations of the Flux-Corrected Transport (FCT) algorithms developed by Boris and Book (1973, 1976) for solving fluid equations, and discuss their application to multidimensional shock reflections in inert and reacting gaseous mixtures. In particular, we consider planar constant-velocity shocks reflecting from wedges. Under certain circumstances double Mach stems are formed. Historically these have proven to be difficult to calculate with high accuracy, although many schemes have been available to analyze compressible flow on a computationally discretized mesh: the method of characteristics, spline techniques, Glimm-type random choice schemes, and finite element, finite difference, and spectral methods. We believe that the calculational difficulties experienced on this problem were the result of excessive numerical diffusion, especially in the region of the contact surface.

In any Eulerian calculation, numerical diffusion arises because material which has just entered a computational cell, and is still near one boundary, becomes smeared over the whole cell. FCT minimizes this effect. FCT algorithms can be constructed as a weighted average of a low-order and a high-order finite-difference scheme. If the fluid equations are written in conservative form, both schemes are implemented using transportive fluxes. Each flux describes the transfer of mass (or some other extensive quantity) from one point to a neighboring point. The procedure for assigning weights involves limiting or "correcting" the fluxes at certain points. The higher-order scheme is used to the greatest possible extent, consistent with avoiding the introduction of dispersive ripples (undershoots and overshoots). The weights for the low-order scheme are chosen to be just sufficient to eliminate these ripples, thus assuring the property of "monotonicity" or "positivity." The result is an algorithm which effectively reduces to the higher-order scheme wherever the fluid properties change gradually. Near sharp discontinuities, however, enough diffusion is supplied to retain monotonicity. At shock fronts this procedure automatically produces the correct local viscous heating.

The prototype second-order finite-difference formula

$$\rho_j^{n+1} = \rho_j^n - \frac{1}{2} \epsilon_{j+1/2} (\rho_{j+1}^n + \rho_j^n) + \frac{1}{2} \epsilon_{j-1/2} (\rho_j^n + \rho_{j-1}^n) + v_{j+1/2} (\rho_{j+1}^n - \rho_j^n) - v_{j-1/2} (\rho_j^n - \rho_{j-1}^n)$$

illustrates the procedure. Here  $j$  labels grid position,  $n$  denotes time level and  $\epsilon_{j+1/2} = v_{j+1/2} \Delta t / \Delta x$ , and  $v_{j+1/2}$  are dimensionless advection and diffusion coefficients, respectively. We write  $\epsilon_{j+1/2} = \frac{1}{2} [1 + (|\epsilon| + c)]$ , where  $c$  is a "clipping factor" measuring the extra diffusion added to achieve positivity. When  $c = 0$ , the above scheme is second-order; in the vicinity of shocks  $c \sim 1$  and it effectively reduces to first order.

A numerical diffusion Reynolds number  $(Re)_{np} = 2L/c\Delta x$  can be defined, where  $L$  is the characteristic size of a structure in the flow. Even the most accurate spectral simulations require setting  $c = 1$  to guarantee positivity linearly. This gives rise to the usual definition of the numerical Reynolds number,  $2L/\Delta x$ . Algorithms such as FCT which

Manuscript submitted July 10, 1980.

guarantee monotonicity nonlinearly can have average values  $\langle c \rangle \sim 10^{-1} - 10^{-2}$ , introducing much less overall dissipation and permitting calculations with effective Reynolds numbers such that  $Re \sim (Re)_{ND} \gg 2L/\delta x$ .

Four advances in FCT techniques have enabled us to perform a series of shock and detonation calculations with high accuracy. These techniques are easy to program, and they have wide applicability to general quasi-linear hyperbolic equations (i.e., equations describing continuum conservation laws).

The first of these, a generalization of FCT due to Zalesak (1979), removes the necessity of timestep splitting in multidimensional hydrodynamics. This reduces errors associated with time splitting in regions of the flow which are nearly incompressible. The second refers to the development of FCT algorithms in which the spatial derivatives can be approximated to arbitrarily high order (fourth, sixth, eighth, etc., or pseudo-spectral). These innovations, which relate to the transport algorithm itself, have been implemented in a two-dimensional hydrocode which utilizes the leafrog-trapezoidal (L-T) algorithm and is therefore dissipationless. Both complex and double Mach stem structures are obtained (cf. Ben-Dor, 1978; Ben-Dor and Glass, 1978, 1979).

The third new technique, adaptive rezoning, is an extension to two dimensions of the dynamic rezoning employed in detailed one-dimensional reactive flow simulations by Oran, et al. (1979). This concentrates needed spatial resolution in the vicinity of moving shocks, contact discontinuities and reactive surfaces. The technique is illustrated with shock calculations using a time-split code (FAST2D). In air for  $M=5$  and  $\theta=45^\circ$ , the results fall very close to the boundary between regular and Mach reflection. The calculated wall pressures are in detailed agreement with the results of Bertrand (1972). The fourth technique is a generalization of the induction time approximation used in earlier flame, ignition and shock work (Oran et al, 1980a, b). This provides a simple, efficient, yet reasonably accurate global chemical kinetics package to be used in connection with these comprehensive two-dimensional hydrodynamics calculations.

Section 2 describes the results of calculations in which a planar shock is reflected from a wedge in an inert gas. In Section 3 we present the results of calculations of detonations initiated by shock reflections in stoichiometric mixtures of  $H_2$  in air at low pressure. Section 4 summarizes our conclusions.

## 2. Shock Reflections in Air

The utility of these advanced FCT methods has been demonstrated by applying them to transient reflections of planar shocks from wedges for various shock strengths  $M$  and wedge angles  $\theta$ . For nonreacting flows at Mach numbers greater than about 2.5 and wedge angles between 20 and 50 degrees, double Mach stems can develop. Numerical schemes previously used for this problem reproduce qualitatively the wave structure and shape, but have difficulty making accurate predictions of flow details such as density contours (a conclusion drawn by Ben-Dor and Glass, 1978) even in the single Mach stem case. To our knowledge, successful calculations of the double Mach stem case have not yet been published. In this paper we discuss the series of calculations summarized in Table 1.

Open boundary conditions are used on the left, right, and top edges of the mesh, i.e., density, pressure and velocity are set equal to their pre-shock or post-shock values, depending on whether the incident shock front has passed that point. Reflecting conditions are imposed on the bottom of the mesh, which corresponds to the wedge surface. Examples of the calculated density contours and wave structure for the double and complex Mach reflection cases are shown in Fig. 1. The incident shock,  $I$ , the contact surface,  $CS$ , and the first and second Mach stems,  $M_1$  and  $M_2$ , are indicated in Fig. 1a. Note in particular the forward curl of the contact surface near the wall and the small region (4 by 7 mesh points) of high-density gas just to the left of the point where the contact surface impacts the wall. The latter causes a second peak in the pressure and density distribution on the wall, as shown in Fig. 1c. The accuracy of the calculations has been verified by comparison with experimental density distributions along the wall, as shown in Fig. 2, and with experimental pressure measurements (Bertrand, 1972). Note that FCT provides adequate resolution of the key surfaces (contact surface and second Mach stem) in regions as small as 5 by 5 cells.

Two additional cases were calculated with larger values of  $\theta$  (Fig. 3). As the wedge angle increases, the Mach stem develops more slowly, being  $W$  separated from the wedge by a triple-point angle of only one or two degrees. [The triple-point angle  $\alpha$  is the angle subtended by the Mach stem as viewed from the end of the wedge at which the shock was first incident (Fig. 4.) To reduce the size of the mesh needed, it is necessary to calculate in the frame of the Mach stem and to rezone. For these calculations we employed the time-split code FAST2D (with a  $150 \times 50$  mesh), which incorporates an automatic continuous ("sliding zone") regridding procedure (Oran et al., 1979). For the small  $\theta$  cases discussed above, where regridding is necessary, FAST2D yielded results very  $W$  similar to those obtained with the L-T code. The cases with wedge angles of  $44^\circ$  and  $46.5^\circ$  constitute a severe test of the numerical algorithm because of the small triple-point angle. Because  $\alpha$  is approximately equal to  $2.8^\circ$  and  $1.5^\circ$ , respectively, considerable spatial resolution and a large amount of running time are usually necessary to get accurate flow fields. Figure 4 illustrates our adaptive rezone technique on a grid of  $60 \times 40$  cells with varying cell dimensions,  $\delta x$ ,  $\delta y$ . This method requires one-fifth the number of cells required in a uniform grid calculation. A uniform region consisting of the smallest cells covers part of the incident shock front, the Mach stems, and the reflected shock structure. Outside this finely gridded region, we have transition zones in which the cell dimensions increase smoothly to their maximum values,  $10\delta x_{\min}$  and  $10\delta y_{\min}$ .

We have investigated the accuracy of the numerical simulation by comparing the results with experimental data (Bertrand et al, 1972). Because the cases  $\theta = 44^\circ$  and  $46.5^\circ$  are so similar, we will discuss only the latter. The computed value of  $\alpha$  for  $\theta = 46.5^\circ$  is approximately  $2.5^\circ$  for a real-air equation of state and approximately  $3.2^\circ$  for an ideal gas with  $\gamma = 1.35$ . Both agree with the measurements to within the experimental errors,  $\sim 2\%$ . In Fig. 5, we compare the calculated (using a real-air equation of state) and experimental values of the pressure at the surface of the wedge for  $\theta = 46.5^\circ$ . The agreement in the shapes of the pressure curve is striking—the values of the lower pressure peak, corresponding to the Mach stem, are nearly identical. The calculated value of the second pressure peak is 11% lower than the experimental value and is thus within experimental uncertainty. Figure 6 shows the history of the pressure on the wedge calculated for an ideal gas with  $\gamma = 1.35$ . We note that the curves have much the same shape as for the real-air simulations; however, the first pressure peak is again 11% lower than the experimental value. Figure 7 shows that the double Mach reflection shock structure is well resolved in the simulation.

### 3. Detonations

We have also considered analogous shock reflections in reactive gases (stoichiometric mixtures of  $H_2$  in air) at low pressure (0.1 atm). The induction time hypothesis (e.g., Oran et al, 1980) represents the chemistry through a composite process, in which reactants begin to combine into combustion products only after a finite time has elapsed. The rate at which the energy-releasing reactions proceed depends upon a single parameter, the induction time. This in turn is a function of the local thermodynamic variables.

Figure 8 shows the time development of a detonation initiated by a weak reflecting shock. The incident shock was chosen so that the pressure behind it is too low to cause detonation to take place within the time of the calculation. As with the calculation of Section 2, we have used open boundary conditions at the sides and top of the system. The sequence of six pressure contour plots traces the evolution of a detonation wave initiated by complex Mach reflection at the surface of the wedge. Figure 8a shows the pressure contours corresponding to an incident shock with  $\theta_i = 25^\circ$  and  $M = 4.0$  which has just begun to reflect. The Mach stem is initially too small to be resolved. In Fig. 8b the Mach stem becomes discernible, but as yet no apparent reaction has occurred. By frame (c) the material has begun to ignite at a position well behind the current location of the Mach stem. When the Mach stem passed that position the pressure increase heated the mixture sufficiently to cause ignition after a short induction time characteristic of the  $H_2$ -air mixture. In frames (d) and (e), at later times, the pressure at the Mach stem continues to grow, leading to shorter characteristic induction times for material between the Mach stem and the original ignition point. Thus we see the ignited region accelerate along the wedge surface toward the Mach stem. Because more energy is being released as the burning continues, the boundary of the



ignited region also accelerates in the direction of the reflected shock front, compressing and heating the material into which the burned gases expand. In the last frame the burn front has overtaken the reflected shock and Mach stem, as we see from the decrease in the separation of the pressure contours near both locations. A stable detonation pattern has not yet emerged, however. This is evident from the bending out of the Mach stem and the lower density of contours between the Mach stem and the reflected shock/detonation front.

We anticipate that shock tube experiments will confirm this wave structure and that such reactive flow calculations will be extremely useful in quantitatively explaining the experimentally observed multicell structure of detonations (Oppenheim 1970).

#### 4. Conclusions

Our calculations of complex and double Mach reflection are in close agreement with measurements for shocks reflecting in air from wedges. Because of the accuracy and speed of FCT algorithms and the effectiveness of adaptive rezoning, the calculations are accurate and economical even when the Mach stem develops very slowly. All of the important features (location of surfaces of discontinuity, pressure loading on the wedge surface, density contours) are correctly predicted. The results do not depend sensitively on whether the L-T or FAST2D code is used. Of the advances discussed in Section 1, multidimensional flux limiting and the adaptive regridding technique seem to be the most efficacious for reflections in nonreactive media. We conclude that FCT algorithms reduce numerical diffusion dramatically, assuring qualitative improvements in accuracy. We believe that to achieve comparable accuracy and efficiency, other hydrocodes must employ similar nonlinear algorithms and rezoning techniques.

Our calculations in reactive gas mixtures show that detonations tend to begin where a secondary pressure peak arises as the slip surface approaches the wedge. Because of the finite induction time in our kinetics model, the detonation begins somewhat behind this pressure peak. The high resolution our calculations achieve enables us to follow multiple reflections and is capable of providing quantitative predictions of detonation phenomena.

#### References

- Bertrand, B. P., Measurement of Pressure in Mach Reflection of Strong Shock Waves in a Shock Tube, Ballistic Research Laboratories Report BRL-RR-2196 (1972).
- Ben-Dor, G., Regions and Transitions of Nonstationary Oblique Shockwave Diffractions in Perfect and Imperfect Gases, UTIAS Report 232, August 1978, 61 pages + appendices.
- Ben-Dor, G., and Glass, I. I., "Nonstationary Oblique Shock Reflection: Actual Isopycnics and Numerical Examples" *AIAA J.* 16, 1146 (1978).
- Ben-Dor, G., and Glass, I. I., "Domains and Boundaries of Nonstationary Oblique Shock Wave Reflections: I. Diatomic Gas," *J. Fluid Mech.* 92, 439 (1979).
- Boris, J. P. and Book, D. L., "Flux-Corrected Transport: I. SHASTA, A Fluid Transport Algorithm that Works," *J. Comp. Phys.* 11, 38 (1973).
- Boris, J. P. and Book, D. L., "Solution of Continuity Equations by the Method of Flux-Corrected Transport," in Methods in Computational Physics, Vol. 16, Ed. by J. Killeen (Academic Press, Inc., New York, 1976). See also Boris, J. P., Flux-Corrected Transport Modules for Solving Generalized Continuity Equations, NRL Memorandum Report 3237, March 1976.
- Chelms, A. K., Introduction to Gasdynamics of Explosions, International Centre for Mechanical Sciences, Courses and Lectures No. 48, Springer-Verlag, pp 24-34 (1970).
- Oran, E. S., Young, T. R., and Boris, J. P., "Application of Time-Dependent Numerical Methods to the Description of Reactive Shocks," Seventeenth Symposium (International) on Combustion, p. 43 (The Combustion Institute, Pittsburgh, 1979).
- E. S. Oran, J. P. Boris, T. R. Young, T. Murks, H. Flanigan, and H. Plesne, Numerical Simulation of Detonations in H<sub>2</sub>-air and CH<sub>4</sub>-air Mixtures, Proceedings of the 18th Symposium (International) on Combustion, The Combustion Institute, Pittsburgh, PA, 1980a (in press); "Simulations of Gas Phase Detonations: Introduction of the Induction Parameter Model," NRL Memorandum Report 4255, 1980b (in press).
- Zalesak, S. T., "Fully Multidimensional Flux-Corrected Transport Algorithms for Fluids," *J. Comp. Phys.* 31, 335 (1979).

Table 1 - Shock Reflection Simulations

CODE	MACH NO.	WEDGE ANGLE	TYPE OF SHOCK	E.O.S. $\gamma =$	REZONE	# STEPS	EXPERIMENT
L-T	6.9	20°	CMR(A)	1.35	NO	1,000	BEN-DOR
L-T	8.06	26.56°	DMR(A)	1.35	NO	800	BEN-DOR
FAST2D	8.06	26.56°	DMR(A)	1.35	NO	800	BEN-DOR
FAST2D	5.173	44°	DMR(D)	1.35	YES	600	BRL
FAST2D	5.074	44°	DMR(D)	REAL AIR	YES	1,000	BRL
FAST2D	5.148	46.5°	DMR(D)	1.35	YES	1,000	BRL
FAST2D	5.046	46.5°	DMR(D)	REAL AIR	YES	1,500	BRL




Fig. 1 - (a) Wave structure and density contours for double Mach reflection from a wedge; (b) reduced density contours ( $\rho/\rho_0$ ) for complex Mach reflection with levels chosen to agree with those of Ben-Dor and Glass (1978); (c) corresponding pressure and density profiles on the wedge, plotted against cell number.




Fig. 2 - Comparison of the calculated density profile on the wedge (Fig. 1(b)) with measured values (Ben-Dor and Glass, 1978).




Fig. 3 - Types of shock reflections; RR, CMR, SMR, and DMR denote regular reflection and single, complex, and double Mach reflection, respectively. The D and A refer to detached and attached shocks.




Fig. 4 - Gridding for complex shock reflection problems with FAST2D code. Shown are incident, reflected and Mach shocks (solid lines) and slip surfaces (dotted lines) for incident shock coming from the left.




Fig. 5 - Upper and lower diagrams show pressure in PSIA on the wedge as a function of position for  $\theta_w = 46.5^\circ$  (real air equation of state) at two times in the simulation and as a function of time at two stations in the experiment, respectively.




Fig. 6 - Structure of the calculated shock ( $\theta_w = 46.5^\circ$ ,  $M = 5.15$ ,  $\gamma = 1.35$ ) as a function of position for several times.






Fig. 7 - Plot of pressure vs distance along the trajectory 1-2-3-4 shown in the inset, which intersects all surfaces of discontinuity normally.




Fig. 8 - Sequence of six pressure contour plots tracing the development of detonation in a stoichiometric  $H_2$  -- air mixture at 0.1 atm due to complex Mach reflection from wedge.

# DISTRIBUTION LIST

Assistant to the Secretary of Defense  
Atomic Energy  
Washington, DC 20301  
Olcy Attn Executive Assistant

Director  
Defense Advanced Rsch Proj Agency  
1400 Wilson Blvd  
Arlington, VA 22209  
(desires only one copy to library)  
Olcy Attn TIO

Director  
Defense Communications Agency  
Washington, DC 20305  
(ADR CNWDI: Attn Code 240 for)  
Olcy Attn Code 670 R LIPP

Director  
Defense Intelligence Agency  
Washington, DC 20301  
Olcy Attn DB-4C E OFARREL  
Olcy Attn DB-4N  
Olcy Attn DT-1C  
Olcy Attn DT-2  
Olcy Attn RDS-3A (TECH LIB)

Director  
Defense Nuclear Agency  
Washington, DC 20305  
02cy Attn SPSS  
04cy Attn TITL  
Olcy Attn DDST

Defense Technical Information Center  
Cameron Station  
Alexandria, VA 22314  
(12 if open pub, otherwise 2 -  
no WNINTEL)  
12cy Attn DD

Chairman  
Department of Defense Explo Safety Board  
Rm 856-C  
Hoffman Building 1  
2461 Eisenhower Avenue  
Alexandria, VA 22331  
Olcy Attn Chairman

Commander  
Field Command  
Defense Nuclear Agency  
Kirtland AFB, NM 87115  
Olcy Attn FCTMOF  
Olcy Attn FCT  
Olcy Attn FCPR

Chief  
Field Command  
Defense Nuclear Agency  
Livermore Division  
P O Box 808 L-317  
Livermore, CA 94550  
Olcy Attn FCPRL

Director  
Joint Strat TGT Planning Staff  
Offutt AFB  
Omaha, NE 68113  
Olcy Attn DOXT  
Olcy Attn JLA  
Olcy Attn JLTW-2  
Olcy Attn NRI-STINFO Library  
Olcy Attn XPFS

Commandant  
Nato School (Shape)  
APO New York, NY 09172  
Olcy Attn U.S. Documents  
Officer

Under Secy of Def for Rsch &  
Engrg  
Department of Defense  
Washington, DC 20301  
Olcy Attn Strategic &  
Space Systems (OS)

Director  
BMD Advanced Technology Center  
Department of the Army  
P O Box 1500  
Huntsville, AL 35807  
Olcy Attn 1CRDABH-X  
Olcy Attn ATC-T

Commander  
BMD Systems Command  
Department of the Army  
P O Box 1500  
Huntsville, AL 35807  
Olcy Attn BMDSC-H N HURST

Chief of Engineers  
Department of the Army  
Forrestal Building  
Washington, DC 20314  
Olcy Attn DAEN-RDM  
Olcy Attn DAEN-MCE-D

Deputy of Chief of Staff for  
OPS & Plans  
Department of the Army  
Washington, DC 20310  
Olcy Attn DAMO-NC

Commander  
Harry Diamond Laboratories  
Department of the Army  
2800 Powder Mill Road  
Adelphi, MD 20783  
(CNWDI-Inner Envelope:  
Attn: DELHD-RBH)  
Olcy Attn Chief Div 20000  
Olcy Attn DELHD-I-TL (Tech Lib)

Commander  
U.S. Army Armament Material Readiness  
Command  
Rock Island, IL 61202  
Olcy Attn MA Library

Director  
U.S. Army Ballistic Research Labs  
Aberdeen Proving Ground, MD 21005  
Olcy Attn DRDAR-BLE J Keefer  
Olcy Attn DRDAR-TSB-S (Tech Lib)  
Olcy Attn DRDAR-BLT W Taylor  
Olcy Attn DRDAR-BLV

Commander  
U.S. Army Communications Command  
Fort Huachuca, AZ 85613  
Olcy Attn Technical Reference Div

Commander  
U.S. Army Concepts Analysis Agency  
8120 Woodmont Avenue  
Bethesda, MD 20014  
Olcy Attn MOCA-ADL (Tech Lib)

Commander  
U.S. Army Engineer Center  
Fort Belvoir, VA 22060  
Olcy Attn ATZA

Division Engineer  
U.S. Army Engineer Div Huntsville  
P O Box 1600, West Station  
Huntsville, AL 35807  
Olcy Attn HNDED-SR

Division Engineer  
U.S. Army Engineer Div Ohio River  
P O Box 1159  
Cincinnati, OH 45201  
(Unclassified Only)  
Olcy Attn ORDAS-L (Tech Lib)

Director  
U.S. Army Engr Waterways Exper  
Station  
P O Box 631  
Vicksburg, MS 39180  
Olcy Attn WESSD G Jackson  
Olcy Attn WESSA W Flathau  
Olcy Attn J Strange  
Olcy Attn WESSE L Ingram  
Olcy Attn Library

Commander  
U.S. Army Foreign Science & Tech Ctr  
220 7th Street, NE  
Charlottesville, VA 22901  
Olcy Attn DRXST-SD

Commander  
U.S. Army Material & Mechanics  
Rsch Ctr  
Watertown, MA 02172  
(Address CNWDI: Attn:  
Document Control for)  
Olcy Attn Technical Library  
Olcy Attn DRXMR J Mescall  
Olcy Attn DRXMR-TE R SHEA

Commander  
U.S. Army Material Dev & Readiness  
CMD  
5001 Eisenhower Avenue  
Alexandria, VA 22333  
Olcy Attn DRCDE-D L Flynn  
Olcy Attn DRXAM-TL (Tech Lib)  
Uncl only

Commander  
U.S. Army Missile Command  
Redstone Arsenal, AL 35809  
Olcy Attn DRDMI-XS  
Olcy Attn RSIC

Commander  
U.S. Army Mobility Equip R&D CMD  
Fort Belvoir, MD 22060  
(CNWDI to Army Mat Dev  
& Readiness Command)  
Olcy Attn DRDME-WC (Tech Lib)

Commander  
U.S. Army Nuclear & Chemical Agency  
7500 Backlick Road  
Building 2073  
Springfield, VA 22150  
(desires only lcy to Library)  
Olcy Attn Library

Commandant  
U.S. Army War College  
Carlisle Barracks, PA 17013  
Olcy Attn Library

Commander  
David Taylor Naval Ship  
R&D CTR  
Bethesda, MD 20084  
(CNWDI only Attn  
Mrs. M. Birkhead  
Code 5815.61)  
Olcy Attn Code L42-3  
(Library)

Officer-in-Charge  
Naval Construction Battalion Center  
Civil Engineering Laboratory  
Port Hueneme, CA 93041  
Olcy Attn Code L51 S Takahashi  
Olcy Attn Code L51 R Odello  
Olcy Attn Code L08A (Library)

Commander  
Naval Electronic Systems Command  
Washington, DC 20360  
Olcy Attn PME 117-21

Commander  
Naval Facilities Engineering Command  
Washington, DC 20390  
Olcy Attn Code 09M22C (Tech Lib)  
Olcy Attn Code 03T  
Olcy Attn Code 04B

Headquarters  
Naval Material Command  
Washington, DC 20360  
Olcy Attn MAT 08T-22

Commander  
Naval Ocean Systems Center  
San Diego, CA 92152  
Olcy Attn Code 4471 (Tech Lib)  
Olcy Attn Code 013 E Cooper

Superintendent  
Naval Postgraduate School  
Monterey, CA 93940  
(desires no CNWDI Documents)  
Olcy Attn Code 0142 Library

Commanding Officer  
Naval Research Laboratory  
Washington, DC 20375  
(RD & RD/N Attn Code 1221 for  
& FRD Attn Code 2628 for)  
Olcy Attn Code 2627 (Tech Lib)  
Olcy Attn Code Boris/Book

Commander  
Naval Sea Systems Command  
Washington, DC 20362  
Olcy Attn Sea-09G53 (Lib)  
Olcy Attn Sea-0351

Officer In Charge  
Naval Surface Weapons Center  
White Oak Laboratory  
Silver Spring, MD 20910  
Olcy Attn Code F31  
Olcy Attn H. Giaz

Commander  
Naval Surface Weapons Center  
Dahlgren, VA 22448  
Olcy Attn Tech Library &  
Infor Services Brnch

President  
Naval War College  
Newport, RI 02840  
Olcy Attn Code E-11  
(Tech Service)

Commander  
Naval Weapons Center  
China Lake, CA 93555  
Olcy Attn Code 266 C Austin  
Olcy Attn Code 3201 P Cordle  
Olcy Attn Code 233 (Tech Lib)

Commanding Officer  
Naval Weapons Evaluation Facility  
Kirtland Air Force Base  
Albuquerque, NM 87117  
Olcy Attn R Hughes  
Olcy Attn Code 10 (Tech Lib)

Office of Naval Research  
Arlington, VA 22217  
Olcy Attn Code 474 N Perron  
Olcy Attn Code 715 (Tech Lib)  
(Uncl only)

Office of the Chief of Naval  
Operations  
Washington, DC 20350  
Olcy Attn OP 981  
Olcy Attn OP 03EG

Director  
Strategic Systems Project Office  
Department of the Navy  
Washington, DC 20376  
Olcy Attn NSP-43 (Tech Lib)  
Olcy Attn NSP-272

Air Force Geophysics Laboratory  
Hanscom AFB, MA 01731  
Olcy Attn LWK K Thompson

Air Force Institute of Technology  
Air University  
Wright-Patterson AFB, OH 45433  
(Does not desire classified documents)  
Olcy Attn Library

Headquarters  
Air Force Systems Command  
Andrews AFB  
Washington, DC 20334  
Olcy Attn DLW

Air Force Weapons Laboratory, AFSC  
Kirtland AFB, NM 87117  
Olcy Attn NTES-C R Henny  
Olcy Attn NTED R Matalucci  
Olcy Attn NTE M Plamondon  
Olcy Attn R Guice  
Olcy Attn SUL W Lee  
Olcy Attn DEX

Assistant Chief of Staff  
Intelligence  
Department of the Air Force  
Washington, DC 20330  
Olcy Attn IN

Ballistic Missile Office/DE  
Air Force Systems Command  
Norton AFB, CA 92409  
(Civil Engineering)  
Olcy Attn DEB

Ballistic Missile Office/MN  
Air Force Systems Command  
Norton AFB, CA 92409  
(Minuteman) MNNX  
Olcy Attn MNNXH D Gage

Deputy Chief of Staff  
Research, Development, & ACC  
Department of the Air Force  
Washington, DC 20330  
Olcy Attn AFRDQSM

Deputy Chief of Staff  
Logistics & Engineering  
Department of the Air Force  
Washington, DC 20330  
Olcy Attn LEEB

Commander  
Foreign Technology Division, AFSC  
Wright-Patterson AFB, OH 45433  
Olcy Attn NIIS Library

Commander  
Rome Air Development Center, AFSC  
Griffiss AFB, NY 13441  
(Desires no CNWDI)  
Olcy Attn TSLD

Strategic Air Command/XPFS  
Department of the Air Force  
Offutt AFB, NE 68113  
Olcy Attn NRI-STINFO Library  
Olcy Attn XPFS

Department of Energy  
Albuquerque Operations Office  
P O Box 5400  
Albuquerque, NM 87115  
Olcy Attn CTID

Department of Energy  
Washington, DC 20545  
Olcy Attn OMA/RD&T

Department of Energy  
Nevada Operations Office  
P O Box 14100  
Las Vegas, NV 89114  
Olcy Attn Mail & Records  
for Technical Library

Department of the Interior  
Bureau of Mines  
Bldg. 20, Denver Federal Ctr  
Denver, CO 80225  
Olcy Attn Tech Lib (Uncl only)

Director  
Federal Emergency Management Agency  
1721 I Street, NW  
Washington, DC 20472  
Olcy Attn Hazard Eval & Vul  
Red Div

Aerospace Corp.  
P O Box 92957  
Los Angeles, CA 90009  
Olcy Attn H Mirels  
Olcy Attn Technical Infor  
Services

Agbabian Associates  
250 N Nash Street  
El Segundo, CA 90245  
Olcy Attn M Agbabian

Analytic Services, Inc.  
400 Army-Navy Drive  
Arlington, VA 22202  
Olcy Attn G Hesselbacher

Applied Theory, Inc.  
1010 Westwood Blvd.  
Los Angeles, CA 90024  
(2cys if unclass or  
lcy if class)  
Olcy Attn J Trulio

Artec Associates, Inc.  
26046 Eden Landing Road  
Hayward, CA 94545  
Olcy Attn S Gill

Avco Research & Systems Group  
201 Lowell Street  
Wilmington, MA 01887  
Olcy Attn Library A830

BDM Corp.  
7915 Jones Branch Drive  
McLean, VA 22102  
Olcy Attn A Lavagnino  
Olcy Attn T Neighbors  
Olcy Attn Corporate Library

BDM Corp.  
P O Box 9274  
Albuquerque, NM 87119  
Olcy Attn R Hensley

Boeing Co.  
P O Box 3707  
Seattle, WA 98124  
Olcy Attn M/S 42/37 R Carlson  
Olcy Attn Aerospace Library

California Research & Technology, Inc.  
6269 Variel Avenue  
Woodland Hills, CA 91364  
Olcy Attn Library  
Olcy Attn K Kreyenhagen

California Research & Tech, Inc.  
4049 First Street  
Livermore, CA 94550  
Olcy Attn D Orphal

Calspan Corp.  
P O Box 400  
Buffalo, NY 14225  
Olcy Attn Library

Denver, University of  
Colorado Seminary  
Denver Research Institute  
P O Box 10127  
Denver, CO 80210  
(Only lcy of class rpts)  
Olcy Attn Sec Officer for  
J Wisotski

EG&G Washington Analytical  
Services Center, Inc.  
P O Box 10218  
Albuquerque, NM 87114  
Olcy Attn Library

Eric H. Wang  
Civil Engineering Rsch Fac  
University of New Mexico  
University Station  
P O Box 25  
Albuquerque, NM 87131  
Olcy Attn N Baum

Gard, Inc.  
7449 N Natches Avenue  
Niles, IL 60648  
Olcy Attn G Neidhardt  
(Uncl only)

General Electric, Co  
Space Division  
Valley Forge Space Center  
P O Box 8555  
Philadelphia, PA 19101  
Olcy Attn M Bortner

General Electric Co.-Tempo  
816 State Street (P O Drawer QQ)  
Santa Barbara, CA 93102  
Olcy Attn DASIAC

General Research Corp.  
Santa Barbara Division  
P O Box 6770  
Santa Barbara, CA 93111  
Olcy Attn B Alexander

Higgins, Auld Association  
2601 Wyoming Blvd NE  
Albuquerque, NM 87112  
Olcy Attn J Bratton

IIT Research Institute  
10 W 35th Street  
Chicago, IL 60616  
Olcy Attn Documents Library  
Olcy Attn R Welch  
Olcy Attn M Johnson

Information Science, Inc.  
123 W Padre Street  
Santa Barbara, CA 93105  
Olcy Attn W Dudziak

Institute for Defense Analyses  
400 Army-Navy Drive  
Arlington, VA 22202  
Olcy Attn Classified Library

J H Wiggins Co., Inc.  
1650 S Pacific Coast Highway  
Redondo Beach, CA 90277  
Olcy Attn J Collins

Kaman Avidyne  
83 Second Street  
Northwest Industrial Park  
Burlington, MA 01803  
Olcy Attn Library  
Olcy Attn E Criscione  
Olcy Attn N Hobbs  
Olcy Attn R Ruetenik

Kaman Sciences Corp.  
P O Box 7463  
Colorado Springs, CO 80933  
Olcy Attn F Shelton  
Olcy Attn Library

Kaman Sciences Corp.  
Southern California Operations  
101 Continental Blvd Suite 855  
El Segundo, CA 90245  
Olcy Attn D Sachs

Lawrence Livermore National Lab.  
P O Box 808  
Livermore, CA 94550

Olcy Attn DOC CON for L-200 T Butkovich  
Olcy Attn DOC CON for Tech Infor Dept. Library  
Olcy Attn DOC CON for L-205 J Hearst (Class L-203)  
Olcy Attn DOC CON for L-90 D Norris (Class L-504)  
Olcy Attn DOC CON for L-437 R Schock  
Olcy Attn DOC CON for L-7 J Kahn  
Olcy Attn DOC CON for L-96 L Woodruff (Class L-94)  
Olcy Attn DOC CON fro L-90 R Dong

Lockheed Missiles & Space Co., Inc.  
P O Box 504  
Sunnyvale, CA 94086  
Olcy Attn TIC-Library

Los Alamos National Scientific Lab.  
Mail Station 5000  
P O Box 1663  
Los Alamos, NM 87545

Olcy Attn MS 670/J Hopkins  
Olcy Attn DOC CON for M Sanpford  
Olcy Attn DOC CON for R Whittaker  
Olcy Attn DOC CON for MS 364  
(Class Reports Lib)  
Olcy Attn DOC CON for G Spillman  
Olcy Attn DOC CON for A Davis  
Olcy Attn DOC CON for R Bridwell

Lovelace Biomedical & Environmental  
Research Institute, Inc.  
P O Box 5890  
Albuquerque, NM 87115  
Olcy Attn R Jones (Unclass only)

Martin Marietta Corp.  
P O Box 5837  
Orlando, FL 32855  
Olcy Attn G Fotieo

McDonnell Douglas Corp.  
5301 Bolsa Avenue  
Huntington Beach, CA 92647  
Olcy Attn R Halprin

Merritt Cases, Inc.  
P O Box 1206  
Redlands, CA 92373  
Olcy Attn J Merritt  
Olcy Attn Library



Meteorology Research, Inc.  
464 W Woodbury Road  
Altadena, CA 91001  
Olcy Attn W Green

Nathan M. Newmark Consult  
Eng Services  
B106A Civil Eng Bldg.  
University of Illinois  
Urbana, IL 61801  
Olcy Attn N Newmark

Oak Ridge National Lab.  
Nuclear Division  
2-10 Lab Records Div  
P O Box X  
Oak Ridge, TN 37830  
Olcy Attn Civil Def Res Proj  
Olcy Attn DOC CON for Central  
Research Library

Pacifica Technology  
P O Box 148  
Del Mar, CA 92014  
Olcy Attn G Kent  
Olcy Attn R Bjork

Physics International Co.  
2700 Merced Street  
San Leandro, CA 94577  
Olcy Attn E Moore  
Olcy Attn L Behrmann  
Olcy Attn Technical Library  
Olcy Attn F Sauer

R & D Associates  
P O Box 9695  
Marina Del Rey, CA 90291  
Olcy Attn Technical Infor Ctr  
Olcy Attn A Latter  
Olcy Attn A Kuhl  
Olcy Attn J Carpenter  
Olcy Attn C MacDonald  
Olcy Attn R Port  
Olcy Attn J Lewis

Rand Corp.  
1700 Main Street  
Santa Monica, CA 90406  
Olcy ATTN C Now

Sandia Laboratories  
Livermore Laboratory  
P O Box 969  
Livermore, CA 94550  
Olcy Attn DOC CON for Library  
& Security Class Division

Sandia National Laboratories  
P O Box 5800  
Albuquerque, NM 87185  
(Attn Mail Services Section  
for Intended Recipient)  
Olcy Attn Mail Ser Sec W Roherty  
Olcy Attn Mail Ser Sec 3141  
Olcy Attn Mail Ser Sec L Vortman  
Olcy Attn Mail Ser Sec A Chaban  
Olcy Attn Mail Ser Sec L Hill

Science Applications, Inc.  
P O Box 2351  
La Jolla, CA 92038  
Olcy Attn Technical Library

Science Applications, Inc.  
1257 Tasman Drive  
Sunnyvale, CA 94086  
Olcy Attn J Dishon

Science Applications, Inc.  
2450 Washington Avenue  
San Leandro, CA 94577  
Olcy Attn D Maxwell  
Olcy Attn D Bernstein

Science Applications, Inc.  
P O Box 1303  
McLean, VA 22102  
Olcy Attn M Knasel  
Olcy Attn B Chambers III  
Olcy Attn R Sievers  
Olcy Attn J Cockayne

Southwest Research Institute  
P O Drawer 28510  
San Antonio, TX 78284  
Olcy Attn W Baker  
Olcy Attn A Wenzel

SRI International  
333 Ravenswood Avenue  
Menlo Park, CA 94025  
Olcy Attn C Abrahamson

Systems, Science & Software, Inc.  
P O Box 1620  
La Jolla, CA 92038  
Olcy Attn Library  
Olcy Attn D Grine  
Olcy Attn T Riney  
Olcy Attn K Pyatt

Teledyne Brown Engineering  
Cummings Research Park  
Huntsville, AL 35807  
Olcy Attn J Ravenscraft

Terra Tek, Inc.  
420 Wakara Way  
Salt Lake City, UT 84108  
Olcy Attn Library  
Olcy Attn S Green  
Olcy Attn A Jones

Tetra Tech, Inc.  
630 N Rosemead Blvd.  
Pasadena, CA 91107  
Olcy Attn L Hwang  
Olcy Attn Library

TRW Defense & Space Sys Group  
One Space Park  
Redondo Beach, CA 90278  
Olcy Attn I Alber  
Olcy Attn Tech Infor Ctr  
Olcy Attn N Lipner  
Olcy Attn P Bhutta  
Olcy Attn D Baer  
Olcy Attn R Plebuch

TRW Defense & Space Sys Group  
P O Box 1310  
San Bernardino, CA 92402  
Olcy Attn E Wong  
Olcy Attn P Dai

Universal Analytics, Inc.  
7740 W Manchester Blvd  
Playa Del Rey, CA 90291  
Olcy Attn E Field

Weidlinger Assoc., Consulting Eng  
110 E 59th Street  
New York, NY 10022  
Olcy Attn M Baron

Weidlinger Assoc., Consulting Eng  
3000 Sand Hill Road  
Menlo Park, CA 94025  
Olcy Attn J Isenberg

Westinghouse Electric Corp.  
Marine Division  
Hendy Avenue  
Sunnyvale, CA 94088  
Olcy Attn W Volz